



**Aalborg Universitet**

**AALBORG UNIVERSITY**  
DENMARK

## **Glass relaxation is controlled by the topology of the atomic network**

*2017 Alfred R. Cooper Young Scholar Award Presentation*

Hu, Yushu; Bechgaard, Tobias Kjær; Smedskjær, Morten Mattrup; Bauchy, Mathieu

*Publication date:*  
2017

[Link to publication from Aalborg University](#)

*Citation for published version (APA):*

Hu, Y., Bechgaard, T. K., Smedskjær, M. M., & Bauchy, M. (2017). *Glass relaxation is controlled by the topology of the atomic network: 2017 Alfred R. Cooper Young Scholar Award Presentation*. Abstract from Materials Science & Technology 2017, Pittsburgh, United States.

### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- ? Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- ? You may not further distribute the material or use it for any profit-making activity or commercial gain
- ? You may freely distribute the URL identifying the publication in the public portal ?

### **Take down policy**

If you believe that this document breaches copyright please contact us at [vbn@aub.aau.dk](mailto:vbn@aub.aau.dk) providing details, and we will remove access to the work immediately and investigate your claim.

## 2017 Alfred R. Cooper Young Scholar Award Presentation

Yushu Hu, University of California, Los Angeles

*Glass Relaxation is Controlled by the Topology of the Atomic Network*

### Abstract:

Yushu Hu<sup>1</sup>, Tobias Bechgaard<sup>2</sup>, Morten Smedskjaer<sup>2</sup>, Mathieu Bauchy<sup>1</sup>

<sup>1</sup>Physics of Amorphous and Inorganic Solids Laboratory (PARISlab), University of California, Los Angeles, CA 90095-1593, USA; [vickihu@ucla.edu](mailto:vickihu@ucla.edu)

<sup>2</sup>Department of Chemistry and Bioscience, Aalborg University, 9220 Aalborg, Denmark

Understanding, predicting, and controlling glass relaxation is of primary importance for the manufacturing of display glasses, as any small variation in volume can result in undesirable pixel misalignments. However, no clear atomistic mechanism of structural and stress relaxation is available to date, which limits our ability to identify optimal glass compositions featuring low relaxation. Here, based on modulated differential scanning calorimetry experiments and molecular dynamics simulations, we study the relaxation of a series of alkali-free calcium aluminosilicate (CAS) glasses with varying compositions. We observe that selected CAS compositions exhibit minimal relaxation. We investigate the structural origin of this behavior by means of topological constraint theory. Based on this analysis, we demonstrate that minimal relaxation is achieved for isostatic glasses, which are both free of eigenstresses and floppy modes. This highlights the crucial role of the atomic topology in controlling the propensity for glass relaxation.